



Contents

Genie	4 - 5
Mobie Free	6 - 7
Smarti	8 - 9
Smarti Plus	10 - 11
Air	12 - 13
MM4	14 -15
MM8	16 - 17
Sprint 8	18 - 19
Vogue Sport	20
Vogue XL	21
Ezi-Fold Home	22
Ezi-Fold Traveller	23
Ezi-Fold	24
Ezi-Fold Pro	25
Ezi-Fold Auto	26
Indie Traveller	27
Calibre	27
Indie Nomad	28
Indie Explorer	28
Monarch Lifting Chair	29
Accessories	30 - 31
Specifications	32 - 35



The lightest folding scooter in the world!

One of the features which makes the Genie so appealing is its unique manual folding system. Opening and closing in only 5 seconds, it's the most userfriendly folding mobility scooter on the market.

- > Weighs only 16.85Kg
- Manual folding
- Suspension
- » Adjustable tiller
- > LED front Lights
- > Off board charging



















> Honeycomb tyres

Magnesium frame

Delta bar tiller

> Two person lifting handles

Available in red and blue











The all new Mobi Free

The original Mobi will go down in history as one of our best-selling folding mobility scooters of all time. Rugged, compact and easy to use, this super all-rounder quickly became a customer favourite. A hard act to follow.

However, with new, stronger, lighter materials, our team has made improvements we never thought possible. The all new Mobi Free is even more amazing than the original. Upgrade to a super versatile, super reliable model today.

- Max speed 4Mph
- Max drive distance 9 miles
- ➤ Max capacity 125Kg
- Max gradient 12 degrees
- >> Turning radius 1.4M
- >> Driving system: rear wheel drive
- Solid tyres

- >> Brush motor
- > Lithium battery 24V 10Ah
- **>>** Charger: 25.9V 2A (Output:25.9V 2A)
- >> Weight 19Kg
- » Aircraft approved



MPH PAVEMENT









CAR BO

IGHT- CA EIGHT FI





^{*} Range dependants on user weight and terrain.

SMART

The all new Smarti

Ground breaking when first launched, the Smarti quickly became a customer favourite. A decade of development and the much awaited new Smarti range is finally here.

One of the only auto-folding mobility scooters with rear suspension. Improved weather-resistant chassis. Meet the next generation of a folding legend!

- > Lithium battery
- Waterproof chassis
- Solid tyres
- > Rear suspension
- >> Extended range remote control

- >> Weight 27Kg/60Lbs
- > User weight 133Kg/21 stone
- Range up to 9 miles*
- > Aircraft approved





















* Range dependants on user weight and terrain.





Looking for luxury?

This top of the range model is one of the only auto-folding mobility scooters with rear suspension. This deluxe edition of the folding legend comes with enhanced comfort features, headlight and USB point!

- **»** Rear suspension
- Deluxe seat
- > LED lights
- >> USB charge port
- > Extended range remote control
- > Auto-fold

- » Adjustable tiller
- >> Total weight 27Kg/60Lbs
- > User weight 133Kg/21 stone
- > Range up to 9 miles*











CAR BOOT



^{*} Range dependants on user weight and terrain.



The lightest genuine 4-wheel boot scooter in the world!

A lot of thought has gone into this amazing, feather-light scooter. Though "lightness" was a design priority, we refused to compromise on build quality. That's why the Monarch Air is made from super-strong magnesium alloy.

- > Weighs only 14.7Kg (excluding battery)
- >> Premium build quality
- > Lightweight
- >> 8" PU wheels, solid front and back
- Maximum weight capacity 125Kg/19 stone

- > 120W brushless motor
- Maximum speed 4Mph
- Additional 20Ah battery available for purchase
- » Aircraft approved

























Optional extras: arms, storage





8" PU wheels,




The dynamic MM4 mobility scooter

The solidly built MM4 mobility scooter features a distinctive slimline frame. Another neat feature of the MM4 is its ability to make light work of uneven pavements thanks to its pneumatic tyres.

- Maximum carrying weight 158.7Kg/25 stone
- Maximum speed 4Mph
- Range up to 23 miles*
- > Pneumatic tyres
- MPH PAVEMENT SCOOTER

- Available in blue or red
- > LED lights front and rear
- > Full suspension
- Captain seat





| LED lights front and rear

Captain seat

15

 $^{{\}rm *Range\ is\ dependent\ upon\ user\ weight,\ terrain,\ incline,\ temperature\ and\ battery\ conditions.}$





The marvellous MM8

Capable, reliable and road ready. Equipped with full suspension, the MM8 copes easily with varying terrain. This provides a smooth ride on a range of surfaces, thanks to the use of dependable coil springs.

- Maximum carry weight 158.7Kg/25 stone
- Maximum speed 8Mph
- >> Range 25 miles*
- > Available in red and blue
- » Road legal
- Steel frame
- LED lights front and rear
- > Full suspension
- Captain seat





 $^{{\}color{red}^{\star}} \, {\text{Range is dependent upon user weight, terrain, incline, temperature and battery conditions.}}$

SPRINT E I G H T

Sprint 8 mobility scooter

The road legal Sprint 8 mobility scooter is designed with performance at its core. With a top speed of 8Mph and a battery range of up to 25 miles, the Sprint 8 mobility scooter sets high standards. Class 3 licensed, the Sprint 8 can be registered for use on public roads. This means you can leave the car on the drive when you nip into town.

- Maximum carry weight 158.7Kg/25 stone
- Maximum speed 8Mph
- » Range 25 miles*
- >> Road legal





- >> LED lights front and rear
- Available in red or blue
- > Captain seat
- > Full suspension








Captain seat

* Range is dependent upon user weight, terrain, incline, temperature and battery conditions.



High back captain seat



LED lights

front and



Our flagship class 3 model

Equipped with full suspension and a carry capacity of 25 stone, the Vogue Sport boasts a jaw-dropping 30 mile range.

- Maximum carrying weight 158.7Kg/25 stone
- > Maximum speed 8Mph
- >> Range up to 30 miles*
- > Pneumatic or solid tyres
- » Road legal
- > Available in red and blue
- > Full suspension
- >> High back captain seat
- >> LED lights front and rear
- >> USB port
- >> **Motability** approved







Pneumatic or solid tyres

Capable, reliable, and road ready

With its solid build and durable parts, this premium scooter copes easily with varying terrain whilst its 10 inch wheels and optional pneumatic tyres make for a smooth ride.

- Maximum carrying weight 203.2Kg/32 stone
- Maximum speed 8Mph
- Range up to 30 miles*
- > Pneumatic or solid tyres
- >> Road legal
- > Available in red and blue
- > Full suspension
- > High back captain seat
- > LED lights front and rear
- >> USB port
- >> **Motability** approved










* Range is dependent upon user weight, terrain, incline, temperature and battery conditions.



suspension





21





>> Controller: User joystick with

>> Travel: Fully compliant with

additional attendant control

all major airline regulations

≫ Motor: Near silent integrated 2x

superpower high torque 200W motor

The all-new Ezi-Fold Home

With a top speed of 4Mph and a range of up to 8 miles, the all-new Ezi-Fold Home is set to become one of the UK's most popular powerchairs. We believe this is the worlds lightest powerchair thanks to its aluminium and magnesium alloy frame.

- >> Battery: 24V6Ah lithium battery
- » Mileage: 6-9Mph**
- **»** Motor: 24V/150W*2 brushless motor
- **»** Climbing Ability: ≤6°
- > Speed: 0 4Mph, 5 gears can be adjusted

- >> Frame material: aluminium alloy
- >> Wheel: front 6", rear 12"
- Max load: 100Kg
- > Net weight: 14.8Kg*
- >> Chargeable on and off board
- >> **Motability** approved











The all-new Ezi-Fold Traveller

With a top speed of 4Mph and a range of up to 8 miles, the all-new Ezi-Fold Traveller is set to become one of the UK's most popular powerchairs.

- >> Speed: 4Mph
- >> Weight: 15Kg*
- **»** Battery: 5.4Ah Li-ion (x2)
- » Range: 8 miles**
- >> Tyres: Solid



WEIGHS ONLY

15KG!





















23

Honeycomb tyres

*Excluding the battery. **Range is dependent upon user weight, terrain, incline, temperature and battery conditions.

**Range is dependent upon user weight, terrain, incline, temperature and battery conditions.

EZI-FOLD

EZI-EQLD

The incredibly strong Ezi-Fold

Capable of carrying more than 5 times its own weight, the Ezi-Fold powerchair comes in at just 26Kg thanks to its lightweight alloy construction. Two independent motors enable the Ezi-Fold to turn on the spot. With a top speed of 4Mph and a range of up to 12 miles.

- > Ultra-lightweight magnesium/ aluminium alloy frame
- Max speed 4Mph
- >> Range 23.7 miles**
- > User weight 133Kg/21 stone
- > Electronic regeneration disk brakes
- >> Brushless motors









Electronic regeneration disk brakes

Ultra-lightweight magnesium/aluminium alloy frame

- > Weight with battery 23.5Kg*
- > Chargeable on and off-board
- > Seat height 20.3"
- > Seat width and depth 18" x 17"
- >> Foldable and portable
- Suspension
- >> Remote attendant control
- >> **Motability** approved



Light, strong and agile

The incredibly strong Ezi-Fold Pro powerchair comes in at just 26Kg (excluding battery) thanks to its magnesium alloy construction. The two independent motors enable the Pro to turn on the spot and deliver a top speed of 4Mph with a range of up to 15 miles.

- >> Ultra-lightweight aluminium alloy frame
- > Powered by two 250W brushless motors
- Max Speed 4Mph
- > Electric regeneration disk brakes
- > Each unit weighs 26Kg*
- 3 12 mile battery range**

- >> 21 stone user weight
- >> Portable folding functionality
- > Seat height 20.3"
- > Seat width and depth 18" x 17"
- Suspension
- >> Remote attendant control



^{*}Excluding the battery. **Range is dependent upon user weight, terrain, incline, temperature and battery conditions.

**Range is dependent upon user weight, terrain, incline, temperature and battery conditions.






Ezi-Fold Auto powerchair

A great deal of thought has gone into new Ezi-Fold Auto, this folds automatically at the push of a button, making it ideal for car journeys. The two independent motors deliver a top speed of 4Mph and enable the "Auto" to turn on the spot.

- Auto fold
- >> Ultra-lightweight aluminium alloy frame
- > Powered by two 250W brushless motors
- Max Speed 4Mph
- > Electric regeneration disk brakes
- >> Gross weight 30.13Kg*
- **>>** Battery weight 3.13Kg
- > Net weight 27Kg







Ultra-lightweight magnesium/ aluminium alloy frame





- >> 21 stone user weight
- >> Portable folding functionality
- > Seat height 20.3"
- > Seat width and depth 18" x 17"
- >> Remote attendant control
- Suspension





- >> Nylon seat and backrest
- > With height adjustable backrest and handle
- >> 8" PVC/PP/rubber castors
- >> With big shopping bag











CAL BRE



- > Premium build quality
- > Lightweight liquid coated frame
- >> PU armrest
- Detachable footrest & foldable backrest
- >> 8" front castors & 24" rear wheels
- > Quick release rear wheels









*Excluding the battery. **Range is dependent upon user weight, terrain, incline, temperature and battery conditions.

27 26

disk brakes

INDIE

- Lightweight aluminium liquid coated frame
- Nylon seat and backrest
- >> 8" castors, with shopping bag
- Easily foldable

















- > Lightweight aluminium rollator
- Nylon seat and backrest
- With height adjustable backrest and handle
- > 10" front castors & 8" rear castors (can be changed to 10" front & rear)
- With big shopping bag













LIFTING CHAIR



- Maximum weight capacity 172Kg
- > Hydraulic lift
- Safety belt
- » Removable commode
- **»** 180° split seat
- >> Front & rear casters with individual brakes
- >> For professional or home use



Accessories

Accessories

Dog trailer



Heated blanket



Trailer





Lithium mains charger



Off-board lithium charger



Lithium battery for folding scooter




Battery, OBC & mains charger combined




Mojo off-board charger



Visibag - high visibility mobility scooter bag



Folding basket with quick release bracket



Specifications

Specifications

	Ezi Fold Home	Ezi Fold Traveller	Ezi Fold	Ezi Fold Pro
Class	2	2	2	2
Number of Wheels	4	4	4	4
Motability	Yes	Yes	Yes	Yes
Tyres	Solid	Solid	Pneumatic Rear	Pneumatic Rear
Colour	Silver	Black	Orange	Red/Black
Ground Clearance (Cm)	20	14	10	18
Seat Width (Cm)	44	42	43	47
Tiller Type	NA	NA	NA	NA
Brakes	Disk	Disk	Disk	Disk
Drive System	Rear	Rear	Rear	Rear
Battery Charger	4 Amp	4 Amp	4 Amp	4 Amp
Frame	Aluminium/Alloy	Aluminium/Alloy	Aluminium/Alloy	Aluminium/Alloy
Top Speed	4 Mph	4 Mph	4 Mph	4 Mph
Turning Radius (Cm)	85	85	85	85
Max Gradient (degrees)	6	6	10	10
Motor	2x150W	2x150W	2x180W	2x180W
Max Battery Range (Miles)	6	8	12	12
Battery Size	6aH Lithium	2x5.2aH Lithium	2x6aH Lithium	2x6aH Lithium
Maximum User Weight (Kg)	125	125	133	133
Suspension	Yes	Yes	Yes	Yes
Adjustable Speed Control	Yes	Yes	Yes	Yes
Length (Cm)	65	83	79	84
Width (Cm)	56	59	62	63
Height (Cm)	88	85	97	104
Weight Including Battery (Kg)	16	16	27	29
Weight Not Including Battery (Kg)	14.4	14.4	23.5	26
Foldable?	Yes	Yes	Yes	Yes
Folded Length (Cm)	65	60	45	50
Folded Width (Cm)	27	59	62	63
Folded Height (Cm)	70	85	75	78

	Ezi Fold Auto	Air	Mobifree	Genie
Class	2	2	2	2
Number of Wheels	4	4	4	4
Motability	Yes	Yes	Yes	No
Tyres	Pneumatic Rear	Solid	Solid	Solid
Colour	Yellow/Black	Red/Blue/Grey	Red/Blue	Red/Blue
Ground Clearance (Cm)	18	14	11	9
Seat Width (Cm)	47	39	41	36
Tiller Type	NA	Delta	Straight	Delta
Brakes	Disk	Electro Magnetic	Electro Magnetic	Electro Magnetic
Drive System	Rear	Rear	Rear	Rear
Battery Charger	4 Amp	2 Amp	2 Amp	2 Amp
Frame	Aluminium/Alloy	Magnesium/Alloy	Aluminium/Alloy	Magnesium/Alloy
Top Speed	4 Mph	4 Mph	4 Mph	4 Mph
Turning Radius (Cm)	85	98	128	128
Max Gradient (degrees)	10	8	8	8
Motor	2x180W	120W	120W	120W
Max Battery Range (Miles)	12	7.5	9	9
Battery Size	2x6aH Lithium	10aH Lithium	10aH Lithium	10aH Lithium
Maximum User Weight (Kg)	133	125	125	125
Suspension	Yes	No	No	Yes
Adjustable Speed Control	Yes	Yes	Yes	Yes
Length (Cm)	84	94	93	94
Width (Cm)	63	43	46	43
Height (Cm)	104	84	83	83
Weight Including Battery (Kg)	29	17	22	19
Weight Not Including Battery (Kg)	26	14.7	19	17
Foldable?	Yes	Yes	Yes	Yes
Folded Length (Cm)	50	94	36	42
Folded Width (Cm)	63	43	43	43
Folded Height (Cm)	78	42	65	69

Specifications

Specifications

Class 2 2 3 3 Number of Wheels 4 8 12	ort
Number of Wheels4444MotabilityYesYesYesYesTyresSolidSolidAir/SolidAir/SolidColourRed/BlueRed/BlueRed/BlueRed/BlueGround Clearance (Cm)881212Seat Width (Cm)44444848Tiller TypeDeltaDeltaDeltaDeltaBrakesElectro MagneticElectro MagneticElectro MagneticElectro MagneticDrive SystemRearRearRearRearBattery Charger2 Amp2 Amp8 Amp8 AmpFrameAluminium/AlloyAluminium/AlloySteelSteelTop Speed4 Mph4 Mph8 Mph8 MphTurning Radius (Cm)128128143143Max Gradient (degrees)881212Motor120W120W1000W550WMax Battery Range (Miles)993025Battery Size10aH Lithium10aH Lithium2x75aH Lead Acid2x55aH Lead Acid	
MotabilityYesYesYesYesTyresSolidSolidAir/SolidAir/SolidColourRed/BlueRed/BlueRed/BlueRed/BlueGround Clearance (Cm)881212Seat Width (Cm)44444848Tiller TypeDeltaDeltaDeltaDeltaBrakesElectro MagneticElectro MagneticElectro MagneticElectro MagneticDrive SystemRearRearRearRearBattery Charger2 Amp2 Amp8 Amp8 AmpFrameAluminium/AlloyAluminium/AlloySteelSteelTop Speed4 Mph4 Mph8 Mph8 MphTurning Radius (Cm)128128143143Max Gradient (degrees)881212Motor120W120W1000W550WMax Battery Range (Miles)993025Battery Size10aH Lithium10aH Lithium2x75aH Lead Acid2x55aH Lead Acid	
Tyres Solid Solid Air/Solid Air/Solid Colour Red/Blue Red	
ColourRed/BlueRed/BlueRed/BlueRed/BlueGround Clearance (Cm)881212Seat Width (Cm)44444848Tiller TypeDeltaDeltaDeltaDeltaBrakesElectro MagneticElectro MagneticElectro MagneticElectro MagneticDrive SystemRearRearRearRearBattery Charger2 Amp2 Amp8 Amp8 AmpFrameAluminium/AlloyAluminium/AlloySteelSteelTop Speed4 Mph4 Mph8 Mph8 MphTurning Radius (Cm)128128143143Max Gradient (degrees)881212Motor120W120W1000W550WMax Battery Range (Miles)993025Battery Size10aH Lithium10aH Lithium2x75aH Lead Acid2x55aH Lead Acid	
Ground Clearance (Cm)881212Seat Width (Cm)44444848Tiller TypeDeltaDeltaDeltaDeltaBrakesElectro MagneticElectro MagneticElectro MagneticElectro MagneticDrive SystemRearRearRearRearRearBattery Charger2 Amp2 Amp8 Amp8 AmpFrameAluminium/AlloyAluminium/AlloySteelSteelTop Speed4 Mph4 Mph8 Mph8 MphTurning Radius (Cm)128128143143Max Gradient (degrees)881212Motor120W120W1000W550WMax Battery Range (Miles)93025Battery Size10aH Lithium10aH Lithium2x75aH Lead Acid2x55aH Lead Acid	d
Seat Width (Cm)44444848Tiller TypeDeltaDeltaDeltaDeltaBrakesElectro MagneticElectro MagneticElectro MagneticElectro MagneticElectro MagneticElectro MagneticDrive SystemRearRearRearRearRearBattery Charger2 Amp2 Amp8 Amp8 AmpFrameAluminium/AlloyAluminium/AlloySteelSteelTop Speed4 Mph4 Mph8 Mph8 MphTurning Radius (Cm)128128143143Max Gradient (degrees)881212Motor120W120W1000W550WMax Battery Range (Miles)993025Battery Size10aH Lithium10aH Lithium2x75aH Lead Acid2x55aH Lead Acid	е
Tiller Type Delta Delta Delta Delta Delta Delta Delta Brakes Electro Magnetic Electro Magnetic Electro Magnetic Electro Magnetic Electro Magnetic Electro Magnetic Drive System Rear Rear Rear Rear Rear Battery Charger 2 Amp 2 Amp 8 Amp 8 Amp 8 Amp Frame Aluminium/Alloy Aluminium/Alloy Steel Steel Top Speed 4 Mph 4 Mph 8 Mph 8 Mph 8 Mph Turning Radius (Cm) 128 128 143 143 143 Max Gradient (degrees) 8 8 12 12 12 Motor 120W 120W 1000W 550W Max Battery Range (Miles) 9 9 30 25 Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead Acid 2	
Brakes Electro Magnetic Electro Magnetic Electro Magnetic Electro Magnetic Drive System Rear Rear Rear Rear Rear Rear Battery Charger 2 Amp 2 Amp 8 Amp 8 Amp 8 Amp Frame Aluminium/Alloy Aluminium/Alloy Steel Steel Top Speed 4 Mph 4 Mph 8 Mph 8 Mph 8 Mph Turning Radius (Cm) 128 128 143 143 143 Max Gradient (degrees) 8 8 12 12 12 Motor 120W 120W 1000W 550W Max Battery Range (Miles) 9 9 30 25 Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead Acid 4 Magnetic Electro Magnetic Elect	
Drive System Rear Rear Rear Rear Battery Charger 2 Amp 2 Amp 8 Amp 8 Amp Frame Aluminium/Alloy Aluminium/Alloy Steel Steel Top Speed 4 Mph 4 Mph 8 Mph 8 Mph Turning Radius (Cm) 128 128 143 143 Max Gradient (degrees) 8 8 12 12 Motor 120W 120W 1000W 550W Max Battery Range (Miles) 9 9 30 25 Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead Acid	
Battery Charger 2 Amp 2 Amp 8 Amp 8 Amp Frame Aluminium/Alloy Aluminium/Alloy Steel Steel Top Speed 4 Mph 4 Mph 8 Mph 8 Mph Turning Radius (Cm) 128 128 143 143 Max Gradient (degrees) 8 8 12 12 Motor 120W 120W 1000W 550W Max Battery Range (Miles) 9 9 30 25 Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead Acid	netic
Frame Aluminium/Alloy Aluminium/Alloy Steel Steel Top Speed 4 Mph 4 Mph 8 Mph 8 Mph Turning Radius (Cm) 128 128 143 143 Max Gradient (degrees) 8 8 12 12 Motor 120W 120W 1000W 550W Max Battery Range (Miles) 9 9 30 25 Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead Acid	
Top Speed 4 Mph 4 Mph 8 Mph 8 Mph Turning Radius (Cm) 128 128 143 143 Max Gradient (degrees) 8 8 12 12 Motor 120W 120W 1000W 550W Max Battery Range (Miles) 9 9 30 25 Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead Acid	
Turning Radius (Cm) 128 128 143 143 Max Gradient (degrees) 8 8 12 12 Motor 120W 120W 1000W 550W Max Battery Range (Miles) 9 9 30 25 Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead Acid	
Max Gradient (degrees) 8 8 12 12 Motor 120W 120W 1000W 550W Max Battery Range (Miles) 9 9 30 25 Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead Acid	
Motor 120W 120W 1000W 550W Max Battery Range (Miles) 9 9 30 25 Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead Acid	
Max Battery Range (Miles)993025Battery Size10aH Lithium10aH Lithium2x75aH Lead Acid2x55aH Lead Acid	
Battery Size 10aH Lithium 10aH Lithium 2x75aH Lead Acid 2x55aH Lead A	
Maximum User Weight (Kg) 133 133 177 158	l Acid
Suspension Yes Yes Full Full	
Adjustable Speed Control Yes Yes Yes Yes	
Length (Cm) 94 94 126 123	
Width (Cm) 45 46 67 67	
Height (Cm) 90 83 109 109	
Weight Including Battery (Kg) 28 26 133 113	
Weight Not Including Battery (Kg) 26 24 N/A N/A	
Foldable? Yes Yes No No	
Folded Length (Cm) 45 43 N/A N/A	
Folded Width (Cm) 45 46 N/A N/A	
Folded Height (Cm) 63 67 N/A N/A	

	ММ4	MM8	Sprint 8
Class	2	3	3
Number of Wheels	4	4	4
Motability	Yes	Yes	Yes
Tyres	Air/Solid	Air/Solid	Air
Colour	Red/Blue	Red/Blue	Red/Blue
Ground Clearance (Cm)	11	11	10
Seat Width (Cm)	47	47	47
Tiller Type	Delta	Delta	Delta
Brakes	Electro Magnetic	Electro Magnetic	Electro Magnetic
Drive System	Rear	Rear	Rear
Battery Charger	5 Amp	5 Amp	8 Amp
Frame	Steel	Steel	Steel
Top Speed	4 Mph	8 Mph	8 Mph
Turning Radius (Cm)	143	143	143
Max Gradient (degrees)	10	12	12
Motor	400W	500W	850W
Max Battery Range (Miles)	18	22	25
Battery Size	2x36aH Lead Acid	2x50aH Lead Acid	2x75aH Lead Acid
Maximum User Weight (Kg)	158	158	158
Suspension	Full	Full	Full
Adjustable Speed Control	Yes	Yes	Yes
Length (Cm)	115	115	131
Width (Cm)	58	58	66
Height (Cm)	103	103	104
Weight Including Battery (Kg)	100	113	113
Weight Not Including Battery (Kg)	N/A	N/A	N/A
Foldable?	No	No	No
Folded Length (Cm)	N/A	N/A	N/A
Folded Width (Cm)	N/A	N/A	N/A
Folded Height (Cm)	N/A	N/A	N/A

Add your dealership stamp here: