

freeway

Flow Shower Cradle



Key features

Head Cushion*

Experience additional comfort with the head cushion.

Padded Side Rails*

Elevate comfort and support with padded upper and/or lower side rails.

Hand Lever Tilting Mechanism

The shower cradle can easily be reclined from 5° to 35°.

Lap Belt*

Add an extra layer of security with an optional lap belt.

Height Adjustable Frame

The frame can be manually height adjusted to three set heights, in increments of 25 mm.

Aperture Hole Opening

The cradle can have an aperture for use with a commode pan.

Commode Tray And Pan*

Easily transform the cradle into a convenient commode.

Mesh Fabric

The fabric, which allows water to pass through during showering, is removable for easy cleaning and drying.

Durable Frame

The powder-coated stainless steel frame is strong and stable.

Anti-Tangle Castors

High-quality 125 mm covered braked castors prevent dirt build-up.



*Extra charges apply.

Weights and dimensions




Cradle size	Small	Medium	Large
SWL	130 kg / (286 lb)	130 kg / (286 lb)	130 kg / (286 lb)
A* – Seat height	592 mm / (23.3 ")	592 mm / (23.3 ")	592 mm / (23.3 ")
B – Cradle end height	176 mm / (6.9 ")	116 mm / (4.6 ")	116 mm / (4.6 ")
C* – Handle height	940 mm / (37 ")	1,050 mm / (41.3 ")	1,050 mm / (41.3 ")
D* – Overall height	1,106 mm / (43.5 ")	1,214 mm / (47.8 ")	1,214 mm / (47.8 ")
E – Base frame length	800 mm / (31.5 ")	800 mm / (31.5 ")	800 mm / (31.5 ")
F – Back length	620 mm / (24.4 ")	750 mm / (29.5 ")	750 mm / (29.5 ")
G – Seat length	300 mm / (11.8 ")	350 mm / (13.8 ")	350 mm / (13.8 ")
H – Leg length	360 mm / (14.2 ")	450 mm / (17.7 ")	450 mm / (17.7 ")
I – End length	150 mm / (5.9 ")	150 mm / (5.9 ")	150 mm / (5.9 ")
J – Internal width	440 mm / (17.3 ")	440 mm / (17.3 ")	520 mm / (20.5 ")
K – Overall width	502 mm / (19.8 ")	502 mm / (19.8 ")	582 mm / (22.9 ")
Upright length	950 mm / (37.5 ")	1,134 mm / (44.6 ")	1,134 mm / (44.6 ")
Reclined length	1,260 mm / (49.6 ")	1,508 mm / (59.4 ")	1,508 mm / (59.4 ")
No. of height settings	3	3	3
Height increments	25 mm / (1 ")	25 mm / (1 ")	25 mm / (1 ")

Details

Warranty	5 years (excluding fabric)
	2 years (fabric)
Frame material	Powder coated stainless steel
Fabric material	Polyester mesh

Standards

IEC 62366-1:2015
EN ISO 15223-1:2016
ISO 17966:2016
Fabric material



To request a quote or free assessment, please call us on
01924 840 100 or visit www.prismmedical.co.uk/contact-us

Prism Medical UK Head Office

Unit 4, Jubilee Business Park,
Grange Moor, Wakefield
WF4 4TD

Prism Medical UK Manufacturing Centre

Unit 1, Tir Llwyd Industrial Estate,
Kinmel Bay, Conwy
LL18 5JZ

Telephone: **01924 840100**

Email: info@prismmedical.co.uk

Website: www.prismmedical.co.uk

**Please visit our website to find out more about the
Freeway Flow Shower Cradle**

