

Telephone **01249 760581** or email **sales@urathon.com**

**SPRING
2025**

Product Catalogue



Urathon[®]

**SPECIALIST SUPPLIERS TO THE MOBILITY
& REHABILITATION INDUSTRY**

Urathon®

Urathon have been designing and brand manufacturing for many of the healthcare industries leading suppliers for almost 30 years including many of the Uks largest providers to Nursing homes, Hospitals, NHS community equipment stores and Mobility retailers.

We offer a complete seamless supply chain solution for all your Healthcare and Mobility product requirements either from our large fully stocked warehousing in Wiltshire, UK or by full mixed containers under your own brand directly from our wholly owned manufacturing base in China.

Contents

Mobility Aids 4

Moving & Handling 11

Bathing, Showering, Toileting Aids 16

Bedroom Aids 26

Around The Home 29

Experience freedom

LIGHTWEIGHT Lithium 4mph *Scooter*

NEW

Lightweight and powered by a 24v 10AH airplane safe lithium battery, this stylish scooters gives an impressive 10 mile range. The innovative folding mechanism allows the scooter to fit in most car boots.



- Max 4mph with simple speed adjustment
- 180 watt motor
- 24v 10AH Airplane safe lithium battery with 10 mile range
- Bring a spare battery with you for extended range in the spare battery slot. (Spare batteries sold separately)
- charge battery onboard or remove and charge separately
- 7" front & 8" treaded rear Flat Free Tyres
- Comfy seat, backrest and lift up arms
- Innovative folding mechanism allows unit to be easily folded by hand and fits in most car boots
- Rear underseat storage
- Front and rear lights
- Adjustable height steering column with soft comfortable grips
- Easy to read digital speed display
- Max user weight at 120kg

90732



Leo Rollator

- One touch adjustable height push handles with Ergonomic comfort grips
- Breathable fabric seat
- Height and depth adjustable padded backrest
- Push to lock brakes with safe internal routed brake cables
- Large 10" Front and 8" Rear wheels with PU Flat Free Tyres
- High quality easily removable zip-shut storage bag
- Easy folding with simple click to lock mechanism
- Simple to attach cane holder
- Weight: Small 7.5kg, Medium 7.8kg
- Length: 720mm
- Width: Folded 280mm, Unfolded 610mm
- Max Weight: 130kg

Small	90653
Medium	90652



Aries Rollator

- One touch adjustable height push handles with Ergonomic comfort grips
- Uprated soft padded seat
- Height and depth adjustable padded backrest
- Push to lock brakes with safe internal routed brake cables
- Large uprated 10" Front and 8" Rear wheels with PU Flat Free Tyres
- High quality easily removable zip-shut storage bag
- Easy folding with simple click to lock mechanism
- Simple to attach cane holder
- Weight: Small 7.5kg, Medium 7.8kg
- Length: 720mm
- Width: Folded 280mm, Unfolded 610mm
- Seat Height: Small 540mm, Medium 620mm
- Max Weight: 130kg

Small	90655
Medium	90654



Taurus Rollator

- One touch adjustable height push handles with Ergonomic comfort grips
- Luxury Genuine stitched leather finishing on padded seat
- Height and depth adjustable padded backrest
- Push to lock brakes with safe internal routed brake cables
- Large uprated 10" Front and 8" Rear wheels with chunky treaded PU Flat Free Tyres
- Genuine stitched leather removable zip-shut storage bag
- Easy folding with simple click to lock mechanism
- Simple to attach cane holder
- Weight: Small 7.5kg, Medium 7.8kg
- Length: 720mm
- Width: Folded 280mm, Unfolded 610mm
- Seat Height: Small 540mm, Medium 620mm
- Max Weight: 130kg

Small	90657
Medium	90656

Lightweight 4 Wheel Rollator

The Cirrus Collection. Redefining Mobility with Style and Functionality!

Discover the perfect blend of elegance and practicality with our Cirrus Collection of foldable aluminium rollators.

Lightweight Aluminium Frame: Engineered from high-quality aluminium, our rollators offer exceptional strength and durability while remaining lightweight for easy maneuverability.

Smooth Rolling Wheels: Glide effortlessly on our PP+PVC 8" wheels, designed to provide a smooth and stable ride on any surface.

Sleek Metallic Finish: Make a statement with our rollators' sleek metallic finish, combining sophistication with practicality.

Compact Design: With dimensions tailored for easy navigation, our rollators offer the perfect balance of compactness and comfort, allowing you to move freely in any environment.

Comfortable Seating: Take a moment to relax on our comfortable seats, providing you with a convenient spot to rest during your daily activities.

Generous Weight Capacity: Each rollator in our Cirrus Collection is designed to support users weighing up to 136kg, ensuring strength and stability for users of all sizes.

Removable Bag: Fashionable shopping bag with strap.

Stick Holder: Handy holder for a walking stick.



AVAILABLE IN 3 COLOURS

90716 Burnt orange

90717 Dark grey

90718 Purple



NEW

STRATUS BARIATRIC ROLLATOR WITH SUSPENSION

AVAILABLE IN

90734 Pink

90735 Blue

Empowering Comfort and Stability for Every Journey!


Introducing the Stratus Bariatric Rollator, specially designed to support users with a max weight of 225kg while providing unparalleled comfort and stability.

Experience the ultimate blend of comfort, stability, and convenience. Don't let mobility challenges hold you back – step into a world of freedom and independence today.



Max Weight 225kg

24" Seat Width



NEW

NIMBUS CARBON FIBRE ROLLATOR

One of the lightest carbon fibre rollators on the market

We are thrilled to introduce the ultimate lightweight Nimbus Carbon Fibre Rollator weighing only 5.2kg.

Crafted with a carbon fibre frame, this rollator combines unparalleled lightness with exceptional robustness, ensuring durability without compromise.

Don't let mobility limitations hold you back – embrace freedom and independence with every step.



90695

Gemini Fold Down Rollator

The new Gemini Fold Down Rollator – your ultimate companion for mobility and convenience! Say goodbye to bulky mobility aids. Our rollator features a lightweight aluminium frame for easy manoeuvrability without sacrificing durability. Our innovative dual fold mechanism allows the unit to be folded flat effortlessly, making transport and storage a breeze.



- Lightweight Aluminium frame
- Innovative dual fold mechanism allows unit to be folded flat for easy transport and storage
- Suitable for indoor and outdoor use
- Simple, one-touch, easily adjustable height adjustable push handles
- Push to lock brakes
- Chunky large treaded castors with Flat Free Tyres
- Removable padded backrest
- Comfortable breathable seat
- Easily removable shopping bag with carry strap
- Gloss black paint finish
- Push handles: 840mm - 980 mm
- Seat height: 620mm. Seat width: 430mm
- L: 720mm W: 610mm
- Folded: 235 x 960 x 400mm

90703

Aluminium Transit Wheelchair with Flip up Arms

Suitable for both indoor and outdoor use, this attendant-propelled wheelchair is an excellent choice for the occasional user.

This chair has been crash tested and can be used for secured transport within a motor vehicle.



- Seat belt included
- Half folding backrest
- Flat Free Tyres
- Compact when folded (750 x 800 x 260mm)
- Front wheels: 200mm, Rear wheels: 300mm
- Seat W: 450mm, Seat D: 400mm, Seat H: 500mm
- Width between arms: 460mm
- Min footrest length: 420mm
Max footrest length: 490mm
- Length inc footrests: 1020 - 1030mm
- Width when open: 560mm
- Width when folded: 260mm
- Height: 1000mm
- Weight: 15kg
- Max user weight: 120kg
- BS EN ISO 10993-10

90681

Apollo Wheelchair AP

The ultimate attendant propelled lightweight wheelchair.

Available soon in a self propelled versions.

- Lightweight Aluminium frame weighing 9.2kg
- Half folding backrest and simple frame folding mechanism. Quick to fold and store in the back of most cars
- Comes with swing away or easily removable leg rests with height adjustable footplates
- The double cross brace gives superb durability and strength with a max user weight of 136kg
- Comfort is ensured with 18" seat width, PU padded armrests and soft breathable padded seat and backrest upholstery
- Push to lock attendant brakes give the carer full control, easily braking the chair without having to bend down
- Flat free tyres and front castors remove the worry of punctures
- Lap belt and adjustable anti tip bars as standard.



Max Weight 136kg

Only 9.2kg

90737

- Dimensions: W:64cm, D:96cm, H:91cm
- Seat: W:45cm, D:42.5cm, H:44cm
- Width between arms: 43cm
- Armrest height from seat: 21.5cm



Apollo Wheelchair SP

Self propelled lightweight wheelchair.

Contact our sales team for specifications, launch dates and availability.



COMING SOON



4 Wheeled Aluminium Rollator

- Foldable
- 200mm PU Castor
- Seat, Back Rest and Bag
- Length: 670mm
- Width: 630mm
- Width between arms: 445mm
- Height: 800 - 980mm
- Seat height: 550mm
- Max weight: 145kg
- BS EN ISO 10993-10

90387



3 Wheeled Mild Steel Rollator

- Foldable
- 200mm PU Castor
- Bag
- Length: 670mm
- Width: 715mm
- Width between arms: 510mm
- Height: 780-930mm
- Max weight: 125kg
- BS EN ISO 10993-10

90518



3 Wheeled Aluminium Rollator

- Lightweight Grey powder coated Aluminium frame
- Easy to fold
- Height adjustable push handles
- Push to lock brakes
- 200mm PU castor wheels
- Bag included
- Height: 800 – 980mm
- Length: 670mm
- Total Width at rear: 685mm
- Max weight: 125kg
- BS EN ISO 10993-10

90386



HD Lightweight 4 Wheel Rollator

- Foldable
- Aluminium frame weighing only 9.6kg
- PP+PVC 8" front and 10" rear Wheels
- Metallic
- Length: 700mm
- Width: 780mm
- Height: 910-1010mm
- Seat height: 580mm
- Max weight: 200kg



90526

Moving & Handling

Discover our 'Moving and Handling' section, a dedicated collection of products designed to assist occupational therapists and caregivers in providing safe and efficient patient care.

Within this section, you'll find a comprehensive range of equipment and aids specially crafted to facilitate the seamless movement of patients from one place to another. Our selection includes items that prioritize patient comfort, safety, and ease of use, enabling professionals to deliver top-quality care.

With these valuable tools at your disposal, you can confidently and effectively manage patient transfers and handling, ensuring their well-being and comfort at every step.

RS1 Patient Turner

- Enables sit-to stand for semi-ambulant users
- Height adjustable handle
- Height adjustable knee pads
- Slip resistant turning disc
- Easy to use and manoeuvre
- Length: 472mm
- Width: 475mm
- Height: 914mm
- Castor Size: 75mm
- Max weight: 150kg
- BS EN ISO 10993-10



90330



RS2 Patient Transfer Assist

- Low step on height base for ease with clients who have minimal leg movement
- Anti slip base ensures the client is safe and secure in transfer
- Low friction castor for ease of manoeuvrability
- One foot touch brake keeps the base stable when embarking and disembarking from the raiser
- Versatile handle design ensures carers of all shapes and sizes can easily manoeuvre it
- Adjustable knee pad gives the client support and comfort when in use
- Length: 635mm, Width: 607mm, Height: 1186mm
- Max weight: 160kg
- BS EN ISO 10993-10

90329



Ladder Belt (Sliding Support Strap)

- For use on RS2 Patient Transfer Assist
- Length: 2000mm
- Width: 100mm
- Height: 20mm

90359



Patient Handling Belt

- For use on RS2 Patient Transfer
- 3 sizes available: Small, Medium and Large
- Length (mm): S:1050 / M:1300 / L:1500
- Width (mm): S:975 / M:1150 / L:1350
- Height: 100mm

Small	90333S
Medium	90333M
Large	90333L

RS4 Patient Transfer Assist

- Light Weight, Strong and Robust frame
- Easy flip down support pads
- Easy to open leg mechanism. Works in conjunction with most types of seating and chairs
- Enables users to participate in transfers, maintaining patient independence
- Ideal for those users who can raise from a seated position to a standing position
- Adjustable kneepad
- Compact narrow frame. Manoeuvre in small spaces
- Length: 820mm, Width: 530-730mm, Height: 1060mm
- Seat height: 620-670mm
- Max weight: 185kg
- BS EN ISO 10993-10



3" Subassembly	90580
3" Full Assembly	90720
4" Subassembly	90724
4" Full Assembly	90733

AQUA LIBRA

STAINLESS STEEL SHOWER CHAIR RANGE



CONTACT OUR SALES TEAM ON
01249 760581
sales@urathon.com

Aqua Libra AP

ATTENDANT PROPELLED

Aqua Libra SP

SELF PROPELLED



3 HANDLE OPTIONS AVAILABLE



	Straight Handle		Push Handle		Pram Handle	
	AP	SP	AP	SP	AP	SP
17"	90646-50001	90649-50001	90646-50010	90649-50010	90646-50023	90649-50023
19"	90647-50002	90650-50002	90647-50011	90650-50011	90647-50024	90650-50024
21"	90648-50003	90651-50003	90648-50012	90651-50012	90648-50025	90651-50025



FEATURES AND BENEFITS

- Fully modular construction – ability to adapt the chair to suit any user
- Stainless steel, white powder coated frame – cannot rust and lends itself well to constant recycling if required
- Height adjustment frame as standard, designed to be able to fit over most standard toilets
- Large commode pan capacity
- 17", 19" and 21" frame width options
- Available in both attendant and self propelled variants
- Wide range of seat variances – ideal for all toileting requirements
- Adjustable / easily removable arms can be supplied with various width options
- Easily removable backrest with 3 handle options available
- Easy to clean seat and backrest materials
- Fully removable swing away footrests with simple length adjustment and nylon footplates.



AP Aluminium Shower Commode Chair

- Removable PU Back and PU Horseshoe Seat with Aperture Plug
- 4 x Braked Nylon Castors
- Fold Up PU Arms Pads
- Removable Swing Away Leg Rests and Nylon Angle Adjustable Footplates
- Potty
- Seat width: 460mm
- Seat height: 510-535mm
- Height: 985-1010mm
- Length: 860mm
- Width: 569mm
- BS EN ISO 10993-10



90209



SP Aluminium Shower Commode Chair

- Removable PU Back and Horseshoe Seat with Aperture Plug
- 2 x Braked Nylon Castors and 2 x 24" MAG Wheels with PU Tyres and Q.R Pins
- Fold Up PU Arms Pads
- Removable Swing Away Leg Rests and Nylon Angle Adjustable Footplates
- Potty
- Seat width: 460mm
- Seat height: 510-535mm
- Height: 985-1010mm
- Length: 860mm
- Width: 569mm
- BS EN ISO 10993-10



90349



AP HD Aluminium Shower Commode Chair

- Removable PU Back
PU Horseshoe Seat with Aperture Plug
- 4 x Braked Nylon Castors
- Fold Up PU Arms Pads
- Removable Swing Away Leg Rests and Nylon Angle Adjustable Footplates
- Potty
- Seat width: 560mm
- Seat height: 510-535mm
- Height: 985-1010mm
- Length: 860mm
- Width: 569mm
- BS EN ISO 10993-10



90350



AP XXL Aluminium Shower Commode Chair

- Removable PU Back, PU Horseshoe Seat with Aperture Plug
- 4 x Braked Nylon Castors
- Fold Up PU Arms Pads
- Removable Swing Away Leg Rests and Nylon Angle Adjustable Footplates
- Potty
- Seat width: 600mm
- Seat height: 510-535mm
- Length: 860mm
- Width: 569mm
- Height: 985-1010mm
- Max weight: 300kg
- BS EN ISO 10993-10



90513

Self Propel Wheel Kit available

90351

AP Aluminium Shower Commode Chair, Tilt in Space

- Lightweight aluminium frame - Easy to manoeuvre and offers long-term rust-free durability.
- Tilt and space chair – ideal for showering people comfortably
- 4 x Large, braked, robust castors for durability and manoeuvrability.
- Polyurethane seat, seat-infill, back and armrests are water-resistant, easy to clean and comfortable.
- Full height adjustable to suit all heights of the users
- Simple swing away and height adjustable footrests
- Easy to clean seat and removable back
- Flip up arm rests – For easy side transfer
- Large capacity commode pan and lid
- BS EN ISO 10993-10



90581



Chrome Plated Glideabout Commode

- 4 x Castors
- Removable, Grey Aperture Seat with Padded Vanity Cover
- Removable Arm Rests, Backrest, Leg Rests
- Potty
- Grey Vinyl Upholstery
- Length: 840mm
- Width: 525mm
- Height: 985mm
- Seat height: 525mm
- Max weight: 165kg

90099



Height Adjustable Chrome Plated Glideabout Commode

- Height Adjustable
- Height: 985 - 1085mm
- Seat height: 525 - 625mm
- Max weight: 165kg

90294



Mild Steel Glideabout Commode

- 4 x Castors
- Removable, Grey Aperture Seat with Padded Vanity Cover
- Removable Arm Rests, Backrest, Leg Rests
- Potty
- Grey Vinyl Upholstery
- Length: 922mm
- Width: 530mm
- Height: 962mm
- Seat height: 528mm
- Max weight: 165kg
- BS EN ISO 10993-10

90517



Height Adjustable Mild Steel Glideabout Commode

- Height Adjustable
- Height: 985-1085mm
- Max weight: 165kg
- BS EN ISO 10993-10

90675



KD Glideabout Commode

- Easy to Disassemble
- Removable Aperture
- Padded Vinyl Seat
- Removable Back, Arms, Swing Angle Leg Rests
- Length: 902mm
- Width: 520mm
- Height: 908mm
- Seat height: 530mm
- Max weight: 190kg
- BS EN ISO 10993-10

90519

Hospital Portering Chair

- Full PU Seat and back – Durable, robust, easy to clean and reduces any cross-infection risk. Ideal in heavy usage situations
- Strong balanced footplate – Durable with the ability to take the full user weight without tipping
- The footplate is made from HDPE plastic – Robust and ideal for infection control. Competitors tend to use wood which is a cross infection risk
- Stainless steel frame – Ensure product longevity. Allows the product to be used outside without fear of rust. Easy to wipe surface reduces risk of cross infection. Competitors are made from mild steel that can rust when exposed to the inclement weather
- 300kg SWL – Most competitors are only 190 KGs, so this can be used with the heaviest of patients
- Moulded drop-down arms – Allows for quick and safe side transfers
- Accessory mounts – Allows IV poles etc to be used with the chair
- Xray/notes pocket as standard – Enables the users records to be transported safely with the user from department to department.
- BS EN ISO 10993-10
- Size – 600 x 865 x 1040
- Seat Width – 540mm
- Seat Depth – 410mm
- Seat Height – 540mm
- Backrest Height – 480mm



90337



Aquarius KD Shower Commode Chair

- Can be easily used as a; shower chair, freestanding toilet raiser and commode
- Removable padded backrest
- Removable arms
- Easily removable height adjustable legs
- Non slip rubber feet
- Removable potty
- Aperture seat with padded vanity cover
- Length: 395mm
- Width: 505mm
- Weight: 750 – 877mm
- Seat Height: 420 – 545mm
- Seat width: 460mm
- Weight: 5.1kg
- Max user weight: 130kg

90667



Greenwal KD Ali Shower Chair

- Removable, padded armrests for comfort and added security
- Blow-molded seat and back provide comfort and strength and is warm to the touch
- Drainage holes in bench reduce slipping
- Aluminum frame
- Leg height adjusts in 25mm increments
- Product Specifications
- Product Weight: 4.4kg
- Max user weight: 136kg
- Seat width: 400mm
- Seat width : 330mm
- Seat to Floor Height: 400mm – 530mm
- Width Between Arms: 490mm

90666



Shower Stool

- Height Adjustable
- Powder Coated Steel Frame
- Easy to remove PP Seat
- Aluminium option
- Length: 370-395mm
- Width: 529-540mm
- Height: 560-710mm
- Seat height: 480-630mm
- Max weight: 127kg
- BS EN ISO 10993-10

90115



Drop Down Rail with Support Leg

- Length: 692mm
- Width: 100mm
- Height: 750mm
- Max weight: 190kg
- BS EN ISO 10993-10

90146



HD Suction Grab Rail 44/56cm

- Bar adjustable over 12cm
- Strong rubber suction cups
- Secure suction cups by lowering the lever
- Max weight: 40 kg

90631



HD Suction Grab Rail 55/68cm

- Bar adjustable over 12cm
- Strong rubber suction cups
- Secure suction cups by lowering the lever
- Max weight: 40 kg

90632



HD Suction Grab Rail 65/78cm

- Bar adjustable over 12cm
- Strong rubber suction cups
- Secure suction cups by lowering the lever
- Max weight: 40 kg

90633



2"

Raised Toilet Seat, No Lid

- Ergonomic design, Strong, durable and easy to clean
- Easy adjustable fixings for secure fit on most toilets
- Quick to fit or remove
- Max weight: 190kg

90635



4"

Raised Toilet Seat, No Lid

- Ergonomic design, Strong, durable and easy to clean
- Easy adjustable fixings for secure fit on most toilets
- Quick to fit or remove
- Max weight: 190kg

90636



6"

Raised Toilet Seat, No Lid

- Ergonomic design, Strong, durable and easy to clean
- Easy adjustable fixings for secure fit on most toilets
- Quick to fit or remove
- Max weight: 190kg

90637



2"

Raised Toilet Seat, With Lid

- Ergonomic design, Strong, durable and easy to clean
- Easy adjustable fixings for secure fit on most toilets
- Quick to fit or remove
- Max weight: 190kg

90660



4"

Raised Toilet Seat, With Lid

- Ergonomic design, Strong, durable and easy to clean
- Easy adjustable fixings for secure fit on most toilets
- Quick to fit or remove
- Max weight: 190kg

90661



6"

Raised Toilet Seat, With Lid

- Ergonomic design, Strong, durable and easy to clean
- Easy adjustable fixings for secure fit on most toilets
- Quick to fit or remove
- Max weight: 190kg

90662



**Toilet Surround
Height and Width
Adjustable**

- Height & Width Adjustable
- Floor fixing option available
- Length: 450 - 455mm
- Width: 584 - 734mm
- Height: 645 - 795mm
- Max weight: 190kg
- BS EN ISO 10993-10

90438



Toilet Surround

- Height Adjustable
- Floor fixing option available
- Length: 450 - 455mm
- Width: 524mm
- Height: 645 - 795mm
- Max weight: 180kg
- BS EN ISO 10993-10

90028



Static Shower Chair

- Height Adjustable
- Length: 480-505mm
- Width: 620 - 645mm
- Height: 775-925mm
- Seat height: 440-590mm
- Max weight: 160kg
- BS EN ISO 10993-10

90300



4 Part Bath Step

- Length: 375mm
- Width: 480mm
- Height: 110mm
- Max weight: 250kg

90116



**Male Urinal Bottle
with lid**

- Length: 126mm
- Width: 98mm
- Height: 225mm

90597



Swivel Bath Stool

- PU Seat with Lockable Swivel Function
- Storage Tray
- Height Adjustable
- Length: 380mm
- Width: 380mm
- Height: 410 - 580mm
- Max weight: 135kg

90398



Bath Seat

- Strong suction feet
- Available in 150mm, 250mm and 350mm height options
- Length: 290mm
- Width: 450mm
- Max weight: 190kg

90040 6"
90041 8"
90042 12"



Toilet Frame, Height Adjustable

- Injection Moulded Seat
- L: 443-471mm
- W: 607-612mm
- H: 622-771mm
- Seat H: 428-578mm
- Max weight: 190kg
- BS EN ISO 10993-10

90341



Toilet Frame, Width & Height Adjustable

- Injection Moulded Seat
- L: 443-471mm
- W: 570-720mm
- H: 622-771mm
- Seat H: 428-578mm
- Max weight: 190kg
- BS EN ISO 10993-10

90532



Aluminium Swivel Bather

- Adjustable Width
- Width: 770 - 820mm
- Height: 530mm
- Width between arms: 600-700mm
- Max weight: 150kg
- BS EN ISO 10993-10

90071



Toilet Frame, Clip on Seat & Chute

- Height Adjustable
- Length: 465 - 495mm
- Width: 558mm
- Height: 690 - 835mm
- Seat height: 483-628mm
- Max weight: 190kg
- BS EN ISO 10993-10

Version with lid available (90698)

90120



26" Bath Board 4 Slat

- Adjustable securing brackets
- Length: 240mm
- Width: 600mm
- Height: 20mm

90210



27" Bath Board 4 Slat

- Adjustable securing brackets
- Length: 240mm
- Width: 690mm
- Height: 20mm

90211



28" Bath Board 4 Slat

- Adjustable securing brackets
- Length: 240mm
- Width: 710mm
- Height: 20mm

90212



26" Bath Board 6 Slat

- Adjustable securing brackets
- Length: 360mm
- Width: 660mm
- Height: 20mm
- Max weight: 190kg

90254



27" Bath Board 6 Slat

- Adjustable securing brackets
- Length: 360mm
- Width: 690mm
- Height: 20mm
- Max weight: 190kg

90255



28" Bath Board 6 Slat

- Adjustable securing brackets
- Length: 360mm
- Width: 710mm
- Height: 20mm
- Max weight: 190kg

90256

yuwell Anytime™

CONTINUOUS GLUCOSE MONITORING SYSTEM

**Manage your glucose
Anytime, Anywhere!**



NO FINGER PRICKS



NO SCANNING



COMFORTABLE TO
WEAR FOR 14 DAYS



CUSTOMISABLE
ALERTS & ALARMS



2YR RECHARGEABLE
TRANSMITTER

AN EXCITING NEW GENERATION Continuous Glucose Monitoring Device!

- A world-first re-chargeable transmitter that lasts two years saving money and environmental waste
- Unlimited data storage, readings every 3 minutes, Bluetooth technology synchs directly to your device
- Only need to replace the sensor every two weeks and keep the transmitter!
- User-friendly state-of-the-art ergonomic design
- Superior sterile packaging
- Great subscription offers

Our Clinical Panel



Dr Dawn Harper
GP, BSc (Hons), Pg Dip (Nutr Med)



Dr Andrea Utley
BSc (Hons), PGCE, PhD



Dr Matthew Lancaster
BSc, PhD, SFHEA



Bethany Kelly
RN, Queens Nurse, MSc, PGDip, AdDip HE

Device shows a **good level of accuracy** when compared to blood glucose measures.


Reliability of the sensor is preserved across the full range of typical glucose concentrations patients experienced

Participants found using the Yuwell CGM to be an **illuminating experience** that made them feel **more in control**.

One participant commented that '**It was empowering to see the realtime effects of different foods** on my glucose levels and the ways that certain meal times were more likely to cause problematic spikes than others'.

**MARD
8.1%**

Mean Absolute Relative Difference




Discover more at
yuwellanytime.co.uk

yuwell
TM
Anytime

Bedroom Aids

Welcome to our 'Bedroom Aids' section, where you'll find a curated selection of essential products designed to enhance safety, comfort, and convenience in your bedroom. Explore our range of bed rails, bed supports, and commodes, thoughtfully chosen to provide the support you need to create a secure and comfortable bedroom environment. Whether you're looking for assistance with mobility or seeking solutions to improve your overall quality of life, our bedroom aids are here to help you rest easy.



Bedstick Slatted Bed

- Length: 822mm
- Width: 622mm
- Height: 500mm
- Max weight: 190kg
- BS EN ISO 10993-10

90321



Double Bedstick

- Adjustable Width
- Powder Coated White
- Length: 335mm
- Width: 960 - 1555mm
- Height: 440mm
- Max weight: 140kg
- BS EN ISO 10993-10

90354



Double Bedstick

- Adjustable Width
- Chrome Plated
- Length: 335mm
- Width: 960 - 1555mm
- Height: 440mm
- Max weight: 140kg

90355



Bedstick For Divan Bed

- Length: 805mm
- Width: 622mm
- Height: 646mm
- Max weight: 190kg
- BS EN ISO 10993-10

90322



Straps (PAIR) for UEL90321/90322

- Length: 2500mm
- Width: 25mm
- Max weight: 50kg

90324



Bed Grab Rail

- Length: 653mm
- Width: 435mm
- Height: 510mm
- Max weight: 165kg
- BS EN ISO 10993-10

90521



Bed Lever with Straps

- Length: 610mm
- Width: 362mm
- Height: 561mm
- Max weight: 160kg
- BS EN ISO 10993-10

90325



Stacking Commode Chair

- Height Adjustable
- Fixed Arms
- HF Vinyl Welded Padded Seat & Back
- Brown Powder Coated Steel Frame
- Anti Rattle Ring & DIP Moulded Ferrule
- Commode Pan & Lid
- Length: 525-545mm
- Width: 551mm
- Height: 785-930mm
- Seat Height: 452-602mm
- Max weight: 160kg
- BS EN ISO 10993-10

90096



Stacking Commode Chair with Removable Arms

- Height Adjustable
- Removable Arms
- HF Welded Padded Seat & Back
- Brown Padding and Brown Powder Coated Steel
- Anti Rattle Ring & DIP Moulded Ferrule
- Commode Pan & Lid
- Length: 525-545mm
- Width: 551mm
- Height: 785-930mm
- Seat Height: 452-602mm
- Max weight: 160kg
- BS EN ISO 10993-10

90323



Bed Bumpers with Mesh Divide

- Blue with black mesh
- Length: 2000mm
- Width: 710mm
- Height: 10mm

90522



Bed Bumpers with Mesh Divide

- Cream with white mesh
- Length: 2000mm
- Width: 710mm
- Height: 10mm

90560



Postural Wedge

- Non slip material
- Length: 530mm
- Width: 275mm
- Height: 210mm

90397

Freedom 2 Bed

- 4 section profiling bed
- Electrically operated backrest, height and knee break angle
- See Freedom 2 manual for details
- Available with and without side rails
- Length: 2230mm
- Width: 980mm
- Height: 335 - 735mm
- Max weight: 178kg
- BS EN ISO 10993-10



90533



Freedom 2 Bed Lever

- Compatible with the Freedom 2 Bed
- Length: 126mm
- Width: 286mm
- Height: 713mm
- Max weight: 160kg

90558

Around The Home

In our 'Around the Home' range you'll find a thoughtfully curated collection of products designed to improve the functionality and comfort of your living space. Explore our range of footstools, overbed tables, and perching stools, each carefully selected to enhance your daily life. Whether you're seeking extra support while sitting or assistance with daily tasks, our home-focused aids are here to make your surroundings more accommodating and user-friendly. Elevate your home environment and enjoy increased convenience and ease with our selection of purposeful products.



- Height Adjustable
- Width: 1010mm
- Depth: 480mm
- Height: 710-910mm
- Max Weight: 5kg

Overchair Table

This curved overchair/bed table is both width and height adjustable allowing the table to be set up perfectly to the requirements of the user. This table is great for use with chairs, single beds and wheelchairs.

The kidney shaped top is designed to curve gently around the user reducing the need for them to reach forward, it also allows them to rest their arms comfortably on the table top whilst still having a large usable work area.

90615



Overbed Table

- Height Adjustable
- NO Castors
- Cream Powder Coated Steel Frame
- Beech Veneer Top
- Length: 697mm
- Width: 413mm
- Height: 630 - 930mm
- BS EN ISO 10993-10

90290



Overbed Table with Castors

- Height Adjustable
- 4 x 2" Braked Castors
- Cream Powder Coated Steel Frame
- Beach Veneer Table Top
- L: 697mm. W: 413mm
- Height: 630 - 930mm
- BS EN ISO 10993-10

90291



Vinyl Footstool

- Height Adjustable
- 4 x Ferrule
- Length: 500mm
- Width: 315mm
- Height: 380-530mm
- Seat height: 380-535mm
- Max weight: 100kg
- BS EN ISO 10993-10

90454



Vinyl Footstool on Castors

- Height Adjustable
- 4 x 40mm Castors
- Length: 500mm
- Width: 345mm
- Height: 375-525mm
- Seat height: 375-525mm
- Max weight: 100kg
- BS EN ISO 10993-10

90455

Crutch Caddy

GIVING INDEPENDENCE

2
FREE
RUBBER
CRUTCH
TIPS

An innovative mobility aid to safely store a pair of crutches in an upright position ready to use.



Easy to use
lock and release



Suits all
standard crutches*



Glow in the
dark

Home


Workplace

Hospitals

Waiting Rooms

Functions

Keeps crutches
tidy and accessible



**2
FREE
RUBBER
CANE
TIPS**

Cane Caddy

GIVING INDEPENDENCE

An innovative mobility aid to safely store a cane in an upright position ready to use.



Available in
two hole sizes*



Lightweight
and portable

The unique Crutch and Cane Caddy may be positioned wherever the safe storage of crutches or canes are needed. By your bedside, in the bathroom or next to a comfortable chair. Lightweight and portable, they provide easy access to crutches or canes, giving independence and freeing up carer's time.

**Keeps canes tidy
and accessible**



Perching Stool

- HF Vinyl Padded Seat
- Adjustable Height
- Length: 415- 460mm
- Width: 561 - 620mm
- Height: 561 - 705mm
- Seat height: 540-686mm
- Max weight: 160kg
- BS EN ISO 10993-10

90167



Perching Stool with Arms

- HF Padded Seat
- Steel Loop Arms, No Back
- Adjustable Height
- Length: 415- 460mm
- Width: 561 - 620mm
- Height: 561 - 705mm
- Seat height: 540-686mm
- Max weight: 160kg
- BS EN ISO 10993-10

90168



Perching Stool with Arms and Back

- HF Vinyl Seat
- Steel Loop Arms & Steel Back
- Adjustable Height
- Length: 415 - 460mm
- Width: 560 - 620mm
- Height: 815 - 960mm
- Seat height: 540 - 685mm
- Max weight: 160kg
- BS EN ISO 10993-10

90169



Perching Stool with Arms and HF Back

- HF Vinyl Seat
- Steel Loop Arms & HF Back
- Adjustable Height
- Length: 415 - 460mm
- Width: 560 - 620mm
- Height: 830 - 975mm
- Seat height: 540 - 685mm
- Max weight: 160kg
- BS EN ISO 10993-10

90245



Bariatric Perching Stool with Arms & HF Back

- HF Seat and HF Back
- Adjustable Height
- Length: 500 - 550mm
- Width: 690 - 750mm
- Height: 950 - 1095mm
- Seat height: 570-715mm
- Max weight: 290kg
- BS EN ISO 10993-10

90327



Perching Stool with PU Seat

- Adjustable Height
- Length: 415 - 460mm
- Width: 560 - 620mm
- Height: 545 - 685mm
- Seat height: 535 - 680mm
- Max weight: 160kg
- BS EN ISO 10993-10

90270



Perching Stool with PU Seat and Steel Arms

- Adjustable Height
- Length: 415 - 460mm
- Width: 560 - 620mm
- Height: 723-868mm
- Seat height: 535 - 680mm
- Max weight: 160kg
- BS EN ISO 10993-10

90271



Perching Stool with PU Seat, Steel Arms and Back

- Adjustable Height
- Length: 415 - 460mm
- Width: 560 - 620mm
- Height: 815 - 960mm
- Seat height: 535 - 680mm
- Seat width: 325mm
- Seat depth: 265mm
- Max weight: 160kg
- BS EN ISO 10993-10

90272



Perching Stool with PU Seat, Steel Arms and Padded Back

- Adjustable Height
- Length: 415 - 460mm
- Width: 560 - 620mm
- Height: 855 - 1000mm
- Seat height: 535 - 680mm
- Seat width: 325mm
- Seat depth: 265mm
- Max weight: 160kg
- BS EN ISO 10993-10

90273



Perching Stool with PU Seat, Steel Arms and Padded Back

- 35mm Extended Seat
- Adjustable Height
- Length: 415 - 460mm
- Width: 560 - 620mm
- Height: 855 - 1000mm
- Seat height: 535 - 680mm
- Seat width: 368mm
- Seat depth: 275mm
- Max weight: 160kg
- BS EN ISO 10993-10

90674



Bariatric Perching Stool with PU Seat, PU Back & Arms

- Adjustable Height
- Length: 465-515mm
- Width: 650-710mm
- Height: 790 - 935mm
- Seat height: 485-630mm
- Max weight: 290kg
- BS EN ISO 10993-10

90346



KD Perching Stool

- Removable Arms, Legs and Back
- Steel Arms
- Height Adjustable
- Max weight: 160kg
- BS EN ISO 10993-10

90626



Two Tier Trolley with Brakes

- Push to lock brakes
- Length: 530mm
- Width: 595mm
- Height: 770 - 910mm
- Castor size: 150mm
- Max weight: 125kg
- BS EN ISO 10993-10

90515



2 Tier KD Dinner Trolley

- Height Adjustable
- 2 x Removable Shelves
- Length: 501mm
- Width: 445mm
- Height: 845 - 945mm
- BS EN ISO 10993-10

90072



Half Step

- Adjustable Feet
- Removable slip resistant mat
- Plastic - will not rust
- Length: 430mm, Width: 735mm, Height: 112mm
- Max weight: 190kg

90141



Back Rest

- Folds flat for easy storage
- Sturdy frame with breathable mesh fabric
- Adjustable soft pillow
- 5 levels of angle adjustment
- Width: 580mm, Depth: 515mm, Height: 560mm
- Max weight: 127kg

90668



Urathon[®]

UK WAREHOUSING

Our dedicated UK warehouse allows for quick dispatch to you. No overseas shipping delays. Receive your products quickly, on time and when you need them. That's our promise to you.

SUPPLY FROM STOCK

We fulfil product orders quickly from stock within our self managed UK warehouse. This allows us to always provide fast and reliable turnaround times with next day delivery available.

OUTSTANDING CUSTOMER CARE

Customer care is at the heart of our business. Your satisfaction is paramount and we always aim to go above and beyond.

Call **01249 760581**

Email **sales@urathon.com**

Visit **www.urathon.com**

Urathon[®]

**SPECIALIST SUPPLIERS TO THE MOBILITY
& REHABILITATION INDUSTRY**